ELSEVIER

European Journal of Pharmacology 312 (1996) 393–396

ejp

Author index

Adler-Graschinsky, E., see Lorenzo, P.S. (312) 203
Ahmmed, G.U., see Yoshida, A. (312) 115
Akima, M., see Tamura, K. (312) 195
Alcaraz, M.J., see Payá, M. (312) 97
Alves, A.C., Pires, A.L.A., Cruz, H.N., Serra, M.F., Diaz, B.L., Cordeiro, R.S.B., Lagente, V., Martins, M.A. and E Silva, P.M.R.
Selective inhibition of phosphodiesterase type IV suppresses the chemotactic responsiveness of rat eosinophils in vitro (312) 89
Ausina, P., Savineau, J.-P., Pinto, F.M., Martin, J.D. and Candenas, L.
Ca^{2+}-independent contraction induced by hyperosmolar K^+-rich solutions in rat uterus (312) 309

Balster, R.L., see Bowen, S.E. (312) 131
Barajas-López, C., Peres, A.L., Espinosa-Luna, R., Reyes-Vázquez, C. and Prieto-Gómez, B.
Melatonin modulates cholinergic transmission by blocking nicotinic channels in the guinea-pig submucous plexus (312) 319
Barf, T., see Saxena, P.R. (312) 53
Baron, B.M., see Siegel, B.W. (312) 357
Bates, J.N., see Lewis, S.J. (312) R3
Bax, W.A., see Saxena, P.R. (312) 53
Beatty, M.F., see Chen, S.-W. (312) 241
Bergman, J., see Gatch, M.B. (312) 389
Bettelli, C., see Giardino, L. (312) 183
Bi, Y., see Iyo, M. (312) 163
Bo, X., see Vallejo, A.I. (312) 209
Borea, P.A., see Dalpiaz, A. (312) 107
Borowicz, K., see Gasior, M. (312) 27
Borsini, F., see Ceci, A. (312) 189
Bowen, S.E., Wiley, J.L. and Balster, R.L.
The effects of abused inhalants on mouse behavior in an elevated plus-maze (312) 131
Brown, P., see Hinks, G.L. (312) 153
Burnstock, G., see Vallejo, A.I. (312) 209

Cailmail, S., see Pilette, C. (312) 63
Calignano, A., see Mancuso, F. (312) 327
Calixto, J.B., see Gonçalves de Moraes, V.L. (312) 333
Callado, L.F., see Meana, J.J. (312) 385
Calzà, L., see Giardino, L. (312) 183
Candenas, L., see Ausina, P. (312) 309
Carlsson, P.-O., Sandler, S. and Jansson, L.
Influence of the neurotoxin capsaicin on rat pancreatic islets in culture, and on the pancreatic islet blood flow of rats (312) 75
Ceci, A. and Borsini, F.
Effects of desipramine and maprotiline on the coeruleus-cortical noradrenergic system in anaesthetized rats (312) 189
Chen, S.-W., Maguire, P.A., Davies, M.F., Beatty, M.F. and Loew, G.H.
Evidence for μ_1-opioid receptor involvement in fentanyl-mediated respiratory depression (312) 241
Claustrat, B., see Deprés-Brummer, P. (312) 171
Collu, M., see Diana, M. (312) 179
Cordeiro, R.S.B., see Alves, A.C. (312) 89
Coupar, I.M., see McLean, P.G. (312) 215
Cozzolino, A., see Mancuso, F. (312) 327
Cruz, H.N., see Alves, A.C. (312) 89
Curzon, G., see O'Connell, M.T. (312) 137
Czuczwar, S.J., see Gasior, M. (312) 27

Dallaporta, M., see Himmi, T. (312) 273
Dalpiaz, A., Borea, P.A., Gessi, S. and Gilli, G.
Binding thermodynamics of 5-HT_{1A} receptor ligands (312) 107
Davies, M.F., see Chen, S.-W. (312) 241
DeLander, G.E., see Keil II, G.J. (312) 7
Delton-Vandenbroucke, I., Sarda, N., Molière, P., Lagarde, M. and Gharib, A.
Modulation of norepinephrine-stimulated cyclic AMP accumulation in rat pinealocytes by n-3 fatty acids (312) 379
De Mol, N.J., see Paulussen, J.J.C. (312) 121
Deprés-Brummer, P., Metzger, G., Morin, D., Urien, S., Touitou, Y., Tillement, J.-P., Claustrat, B. and Lévi, F.
Pharmacokinetically guided melatonin scheduling in rats with circadian system suppression (312) 171
De Vries, P., see Saxena, P.R. (312) 53
Diana, M., Muntoni, A.L., Pistis, M., Collu, M., Forgione, A. and Gessa, G.L.
Chronic administration of *l*-sulpiride at low doses reduces A10 but not A9 somatodentritic dopamine autoreceptor sensitivity (312) 179
Diaz, B.L., see Alves, A.C. (312) 89
Dyer, D.C., see Nair, R. (312) 45

Endo, T., see Taniguchi, H. (312) 227
Endoh, M., see Yang, H.-T. (312) 281
Erradi, F., see Payá, M. (312) 97
E Silva, P.M.R., see Alves, A.C. (312) 89
Espinosa-Luna, R., see Barajas-López, C. (312) 319

Ferrándiz, M.L., see Payá, M. (312) 97
Field, M., see Hinks, G.L. (312) 153
Fischer, M.J.E., see Paulussen, J.J.C. (312) 121
Forgione, A., see Diana, M. (312) 179
Fournié-Zaluski, M.-C., see Valverde, O. (312) 15
Fuentes, J.A., see Reche, I. (312) 391
Fujimoto, Y., see Yoshida, A. (312) 115
Fukui, S., see Iyo, M. (312) 163

García-Sevilla, J.A., see Meana, J.J. (312) 385
Gasior, M., Borowicz, K., Starownik, R., Kleinrok, Z. and Czuczwar, S.J.
Ca^{2+} channel blockade and the antielectroshock activity of NMDA receptor antagonists, CGP 40116 and CGP 43487, in mice (312) 27
Gatch, M.B., Liguori, A., Negus, S.S., Mello, N.K. and Bergman, J.
Corrigendum to 'Naloxonazine antagonism of levorphanol-induced antinociception and respiratory depression in rhesus monkeys'. [Eur. J. Pharmacol. 298 (1996) 31–36] (312) 389
Gessa, G.L., see Diana, M. (312) 179
Gessi, S., see Dalpiaz, A. (312) 107
Gharib, A., see Delton-Vandenbroucke, I. (312) 379
Giardino, L., Zanni, M., Bettelli, C., Savina, M.A. and Calzà, L.
Regulation of glutamic acid decarboxylase mRNA expression in rat brain after sertraline treatment (312) 183

Gilli, G., see Dalpiaz, A. (312) 107
Gonçalves de Moraes, V.L., Rumjanek, V.M. and Calixto, J.B.
Jatrophone and 12-*O*-tetradecanoyl phorbol-13-acetate antagonism of stimulation of natural killer activity and lymphocyte proliferation (312) 333
Gonzalez, M.I., Patmore, L. and Wilson, C.A.
Effect of delequamine (RS15385) on female sexual behaviour in the rat (312) 1
Grigorjev, C., see Navarro Becerra, N. (312) 83
Grijalba, B., see Meana, J.J. (312) 385

Hasegawa, Y., see Wada, T. (312) 263
Hashimoto, K., see Iyo, M. (312) 163
Hattori, K., see Yoshida, A. (312) 115
Hatzidimitriou, G., see McCann, U.D. (312) R1
Heiligers, J.P.C., see Saxena, P.R. (312) 53
Hidaka, T., see Ishizuka, T. (312) 367
Higashi, M., see Yamaguchi, Y. (312) 149
Himmi, T., Dallaporta, M., Perrin, J. and Orsini, J.-C.
Neuronal responses to Δ^9-tetrahydrocannabinol in the solitary tract nucleus (312) 273
Hinks, G.L., Brown, P., Field, M., Poat, J.A. and Hughes, J.
The anxiolytics CI-988 and chlordiazepoxide fail to reduce immediate early gene mRNA stimulation following exposure to the rat elevated X-maze (312) 153
Hiraoka, M., see Sunami, A. (312) 245
Hisamichi, N., Kawasaki, T., Suzuki, K.-i., Kaku, S., Sakai, Y., Taniuchi, Y., Sato, K., Inagaki, O., Tomioka, K., Yanagisawa, I., Takenaka, T., Yanagi, K. and Ohshima, N.
Synergistic effect of aurintricarboxylic acid and triflavin in a photochemically induced thrombosis model in rats (312) 69
Hisatome, I., see Yoshida, A. (312) 115
Hoffmann, W.E., see Piercey, M.F. (312) 35
Hogg, J.E., Myers, J. and Hutson, P.H.
The human neuroblastoma cell line, IMR-32, expresses functional corticotropin-releasing factor receptors (312) 257
Hughes, J., see Hinks, G.L. (312) 153
Hutson, P.H., see Hogg, J.E. (312) 257
Hyslop, D.K., see Piercey, M.F. (312) 35

Ienaga, Y., see Katsumata, S. (312) 349
Igawa, O., see Yoshida, A. (312) 115
Inada, T., see Iyo, M. (312) 163
Inagaki, O., see Hisamichi, N. (312) 69
Ishizuka, T., Suzuki, K., Kawakami, M., Hidaka, T., Matsuki, Y. and Nakamura, H.
Thromboxane A_2 receptor blockade suppresses intercellular adhesion molecule-1 expression by stimulated vascular endothelial cells (312) 367
Iyo, M., Bi, Y., Hashimoto, K., Inada, T. and Fukui, S.
Prevention of methamphetamine-induced behavioral sensitization in rats by a cyclic AMP phosphodiesterase inhibitor, rolipram (312) 163

Jang, D., Szabo, C. and Murrell, G.A.C.
S-Substituted isothioureas are potent inhibitors of nitric oxide biosynthesis in cartilage (312) 341
Janssen, L.H.M., see Paulussen, J.J.C. (312) 121
Jansson, L., see Carlsson, P.-O. (312) 75

Kaku, S., see Hisamichi, N. (312) 69
Kamei, J. and Morita, K.
Antitussive effect of moguisteine on the enhanced coughing associated with enalapril in guinea-pig (312) 235
Kanematsu, K., see Katsumata, S. (312) 349
Kato, T., see Tamura, K. (312) 195
Katsumata, S., Ienaga, Y., Minami, M., Nakagawa, T., Kanematsu, K. and Satoh, M.
Pharmacological characterization of KT-90 using cloned μ-, δ- and κ-opioid receptors (312) 349
Kawakami, M., see Ishizuka, T. (312) 367
Kawasaki, T., see Hisamichi, N. (312) 69
Keil II, G.J. and DeLander, G.E.
Altered sensory behaviors in mice following manipulation of endogenous spinal adenosine neurotransmission (312) 7
Kijjoa, A., see Payá, M. (312) 97
Kirstetter, P., see Pilette, C. (312) 63
Kleinrok, Z., see Gasior, M. (312) 27
Kobayashi, H., see Yamaguchi, Y. (312) 149
Kobayashi, T., see Matsuno, K. (312) 267
Koga, T., see Tamura, K. (312) 195
Kok-Van Esterik, J.A.E., see Paulussen, J.J.C. (312) 121
Kusayama, T., Yamazaki, J. and Nagao, T.
Flow dependence of nitric oxide-mediated pressure change in rat mesenteric beds with different tonus (312) 301

Lagarde, M., see Delton-Vandenbroucke, I. (312) 379
Lagente, V., see Alves, A.C. (312) 89
Lebrec, D., see Pilette, C. (312) 63
Lévi, F., see Deprés-Brummer, P. (312) 171
Lewis, S.J., Travis, M.D. and Bates, J.N.
Stereoselective *S*-nitrosocysteine recognition sites in rat brain (312) R3
Liguori, A., see Gatch, M.B. (312) 389
Loew, G.H., see Chen, S.-W. (312) 241
Lorenzo, P.S., Rubio, M.C., Medina, J.H. and Adler-Graschinsky, E.
Involvement of monoamine oxidase and noradrenaline uptake in the positive chronotropic effects of apigenin in rat atria (312) 203

MaassenVanDenBrink, A., see Saxena, P.R. (312) 53
Maguire, P.A., see Chen, S.-W. (312) 241
Maldonado, R., see Valverde, O. (312) 15
Manabe, I., see Yoshida, A. (312) 115
Mancuso, F., Calignano, A., Cozzolino, A., Metafora, S. and Porta, R.
Inhibition of zymosan-induced air-pouch inflammation by rat seminal vesicle protein and by its spermidine derivative (312) 327
Martin, J.D., see Ausina, P. (312) 309
Martins, M.A., see Alves, A.C. (312) 89
Matsuki, Y., see Ishizuka, T. (312) 367
Matsuno, K., Kobayashi, T., Tanaka, M.K. and Mita, S.
σ_1 Receptor subtype is involved in the relief of behavioral despair in the mouse forced swimming test (312) 267
McCann, U.D., Hatzidimitriou, G. and Ricaurte, G.A.
Prolactin response to fenfluramine is independent of serotonin release (312) R1
McLean, P.G. and Coupar, I.M.
Characterisation of a postjunctional 5-ht$_7$-like and a prejunctional 5-HT$_3$ receptor mediating contraction of rat isolated jejunum (312) 215
Meana, J.J., Callado, L.F., Pazos, A., Grijalba, B. and García-Sevilla, J.A.
The subtype-selective α_2-adrenoceptor antagonists BRL 44408 and ARC 239 also recognize 5-HT$_{1A}$ receptors in the rat brain (312) 385
Medina, J.H., see Lorenzo, P.S. (312) 203
Mello, N.K., see Gatch, M.B. (312) 389
Metafora, S., see Mancuso, F. (312) 327
Metzger, G., see Deprés-Brummer, P. (312) 171
Minami, M., see Katsumata, S. (312) 349
Mita, S., see Matsuno, K. (312) 267
Mitani, Y., see Yoshida, A. (312) 115
Mizuchi, A., see Wada, T. (312) 263
Molière, P., see Delton-Vandenbroucke, I. (312) 379
Moreau, R., see Pilette, C. (312) 63
Mori, A., see Yoshida, A. (312) 115
Morin, D., see Deprés-Brummer, P. (312) 171
Morita, K., see Kamei, J. (312) 235
Munaro, N., see Navarro Becerra, N. (312) 83
Muntoni, A.L., see Diana, M. (312) 179

Murrell, G.A.C., see Jang, D. (312) 341
Myers, J., see Hogg, J.E. (312) 257

Nabata, H., see Tamura, K. (312) 195
Nagao, T., see Kusayama, T. (312) 301
Nagasaki, M., see Taniguchi, H. (312) 227
Nair, R. and Dyer, D.C.
Pharmacological characterization of α_1-adrenoceptors in porcine uterine artery (312) 45
Nakagawa, T., see Katsumata, S. (312) 349
Nakamura, H., see Ishizuka, T. (312) 367
Navarro Becerra, N., Grigorjev, C. and Munaro, N.
Glutamic acid decarboxylase in rat olfactory bulb: effect of ovarian steroids or male pheromones (312) 83
Nawada, T., see Yoshida, A. (312) 115
Negus, S.S., see Gatch, M.B. (312) 389

O'Connell, M.T. and Curzon, G.
A comparison of the effects of 8-OH-DPAT pretreatment on different behavioural responses to 8-OH-DPAT (312) 137
Ohno, M. and Watanabe, S.
Interactive processing between glutamatergic and cholinergic systems involved in inhibitory avoidance learning of rats (312) 145
Ohshima, N., see Hisamichi, N. (312) 69
Ono, H., see Wada, T. (312) 263
Orsini, J.-C., see Himmi, T. (312) 273
Otsu, T., see Wada, T. (312) 263

Patmore, L., see Gonzalez, M.I. (312) 1
Paulussen, J.J.C., Fischer, M.J.E., Kok-Van Esterik, J.A.E., Tiemessen, R.C., De Mol, N.J. and Janssen, L.H.M.
Influence of the anti-allergic drug oxatomide on the signal transduction mechanism in a mast cell model (312) 121
Payá, M., Ferrándiz, M.L., Erradi, F., Terencio, M.C., Kijjoa, A., Pinto, M.M.M. and Alcaraz, M.J.
Inhibition of inflammatory responses by a series of novel dolabrane derivatives (312) 97
Pazos, A., see Meana, J.J. (312) 385
Peres, A.L., see Barajas-López, C. (312) 319
Perrin, J., see Himmi, T. (312) 273
Piercey, M.F., Hoffmann, W.E., Smith, M.W. and Hyslop, D.K.
Inhibition of dopamine neuron firing by pramipexole, a dopamine D_3 receptor-preferring agonist: comparison to other dopamine receptor agonists (312) 35
Pilette, C., Moreau, R., Sogni, P., Kirstetter, P., Cailmail, S., Pussard, E. and Lebrec, D.
Haemodynamic and hormonal responses to long-term inhibition of nitric oxide synthesis in rats with portal hypertension (312) 63
Pinto, F.M., see Ausina, P. (312) 309
Pinto, M.M.M., see Payá, M. (312) 97
Pires, A.L.A., see Alves, A.C. (312) 89
Pistis, M., see Diana, M. (312) 179
Poat, J.A., see Hinks, G.L. (312) 153
Porta, R., see Mancuso, F. (312) 327
Prieto-Gómez, B., see Barajas-López, C. (312) 319
Pussard, E., see Pilette, C. (312) 63

Reche, I., Fuentes, J.A. and Ruiz-Gayo, M.
Erratum to 'A role for central cannabinoid and opioid systems in peripheral Δ^9-tetrahydrocannabinol-induced analgesia in mice'. [Eur. J. Pharmacol. 301 (1996) 75–81] (312) 391
Reyes-Vázquez, C., see Barajas-López, C. (312) 319
Ricaurte, G.A., see McCann, U.D. (312) R1
Riva, E. and Traquandi, C.
Dose-response studies with idrapril in the rat heart during acute myocardial ischaemia and reperfusion (312) 293
Roques, B.P., see Valverde, O. (312) 15
Rubio, M.C., see Lorenzo, P.S. (312) 203
Ruiz-Gayo, M., see Reche, I. (312) 391
Rumjanek, V.M., see Gonçalves de Moraes, V.L. (312) 333

Sakai, Y., see Hisamichi, N. (312) 69
Sandler, S., see Carlsson, P.-O. (312) 75
Sarda, N., see Delton-Vandenbroucke, I. (312) 379
Sasaki, N., see Yoshida, A. (312) 115
Sato, K., see Hisamichi, N. (312) 69
Sato, R., see Yoshida, A. (312) 115
Satoh, M., see Katsumata, S. (312) 349
Savina, M.A., see Giardino, L. (312) 183
Savineau, J.-P., see Ausina, P. (312) 309
Saxena, P.R., De Vries, P., Heiligers, J.P.C., MaassenVanDenBrink, A., Bax, W.A., Barf, T. and Wikström, H.
Investigations with GMC2021 in experimental models predictive of antimigraine activity and coronary side-effect potential (312) 53
Serra, M.F., see Alves, A.C. (312) 89
Shigemasa, C., see Yoshida, A. (312) 115
Shikano, T., see Taniguchi, H. (312) 227
Siegel, B.W., Sreekrishna, K. and Baron, B.M.
Binding of the radiolabeled glycine site antagonist [^{3}H]MDL 105,519 to homomeric NMDA-NR1a receptors (312) 357
Smith, M.W., see Piercey, M.F. (312) 35
Sogni, P., see Pilette, C. (312) 63
Sreekrishna, K., see Siegel, B.W. (312) 357
Starownik, R., see Gasior, M. (312) 27
Sunami, A. and Hiraoka, M.
Blockade of cardiac Na^+ channels by a charged class I antiarrhythmic agent, bisaramil: possible interaction of the drug with a pre-open closed state (312) 245
Suzuki, K., see Ishizuka, T. (312) 367
Suzuki, K.-i., see Hisamichi, N. (312) 69
Suzuki, Y., see Tamura, K. (312) 195
Szabo, C., see Jang, D. (312) 341

Takenaka, T., see Hisamichi, N. (312) 69
Tamura, K., Suzuki, Y., Koga, T., Akima, M., Kato, T. and Nabata, H.
Actions of CP-060*S* on veratridine-induced Ca^{2+} overload in cardiomyocytes and mechanical activities in vascular strips (312) 195
Tanaka, M.K., see Matsuno, K. (312) 267
Tanaka, Y., see Yoshida, A. (312) 115
Taniguchi, H., Yazaki, N., Yomota, E., Shikano, T., Endo, T. and Nagasaki, M.
Pharmacological profile of T-0632, a novel potent and selective CCK_A receptor antagonist, in vivo (312) 227
Taniguchi, S.-i., see Yoshida, A. (312) 115
Taniuchi, Y., see Hisamichi, N. (312) 69
Terencio, M.C., see Payá, M. (312) 97
Tiemessen, R.C., see Paulussen, J.J.C. (312) 121
Tillement, J.-P., see Deprés-Brummer, P. (312) 171
Tomioka, K., see Hisamichi, N. (312) 69
Touitou, Y., see Deprés-Brummer, P. (312) 171
Traquandi, C., see Riva, E. (312) 293
Travis, M.D., see Lewis, S.J. (312) R3

Ueta, Y., see Yoshida, A. (312) 115
Urien, S., see Deprés-Brummer, P. (312) 171

Vallejo, A.I., Bo, X. and Burnstock, G.
P2Y purinoceptors in gastric gland plasma membranes (312) 209
Valverde, O., Fournié-Zaluski, M.-C., Roques, B.P. and Maldonado, R.
Similar involvement of several brain areas in the antinociception of endogenous and exogenous opioids (312) 15

Wada, T., Otsu, T., Hasegawa, Y., Mizuchi, A. and Ono, H.
Characterization of α_1-adrenoceptor subtypes in rat spinal cord (312) 263
Watanabe, M., see Yoshida, A. (312) 115
Watanabe, S., see Ohno, M. (312) 145
Wikström, H., see Saxena, P.R. (312) 53
Wiley, J.L., see Bowen, S.E. (312) 131
Wilson, C.A., see Gonzalez, M.I. (312) 1

Yamaguchi, Y., Higashi, M. and Kobayashi, H.
Effects of ginsenosides on impaired performance caused by scopolamine in rats (312) 149
Yamazaki, J., see Kusayama, T. (312) 301
Yanagi, K., see Hisamichi, N. (312) 69
Yanagisawa, I., see Hisamichi, N. (312) 69
Yang, H.-T. and Endoh, M.
$(\pm)$-Tamsulosin, an α_{1A}-adrenoceptor antagonist, inhibits the positive inotropic effect but not the accumulation of inositol phosphates in rabbit heart (312) 281
Yazaki, N., see Taniguchi, H. (312) 227
Yomota, E., see Taniguchi, H. (312) 227
Yoshida, A., Hisatome, I., Nawada, T., Sasaki, N., Taniguchi, S.-i., Tanaka, Y., Manabe, I., Ahmmed, G.U., Sato, R., Mori, A., Hattori, K., Ueta, Y., Mitani, Y., Watanabe, M., Igawa, O., Fujimoto, Y. and Shigemasa, C.
Amitriptyline inhibits the G protein and K^+ channel in the cloned thyroid cell line (312) 115

Zanni, M., see Giardino, L. (312) 183